

The AluDecor.

Glass Doors and Partitioning



Less is more.

Featuring upcoming minimalist glass frames of our time.

Hinge 3D Adjustable

After the adjustable hinge is installed, the position of the door can be adjusted from three directions of X axis, Y axis, and Z axis. Its good self-lubrication makes the door more silent during the opening and closing process.

ระบบพับประตูที่สามมิติปรับได้

หลังจากที่ติดตั้งระบบพับประตูที่สามมิติปรับได้แล้ว ตำแหน่งของประตูสามารถปรับได้จากทิศทางสามแกน คือแกน X, Y, และ Z ความสามารถในการหล่อลื่นที่ดีทำให้เสียงสมบรูณ์ของประตูเงียบมากขึ้นในระหว่างกระบวนการเปิดปิด

RM-FUFIT-932 | Hinge 3D Adjustable



Hinge for aluminium framed doors in obsidian black

Concealed hinge for clip on installation
For 19 mm wide aluminium framed profiles
95° opening angle

บานพับสำหรับประตูอลูมิเนียม
ด้านในเป็นสีออบซิเดียนดำ

ติดตั้งด้วยช่องปิดเรียบร้อยสำหรับการติดตั้งด้วยคลิป
เหมาะสำหรับโปรไฟล์อลูมิเนียมขนาดกว้าง 19 มม.
มุมเปิด 95 องศา

RM-FUFIT-084 | Sensys Aluminium Hinge

Pin Hinge Zinc alloy

Door opening angle 185 degree hinge is that it allows the door to open at a wide angle of up to 185 degrees. This provides convenience in accessing the room space and its contents without the need to significantly change the direction of the door or open/close it extensively. Additionally, it helps in organizing rooms or spaces more efficiently, especially in areas with limited space. It also reduces collisions between the door and various objects by opening the door at wide angles, making access easier and increasing convenience in daily life.

Maximun door panel size H3000 x W900 mm

พิน ชุดประกอบจากสังกะสีแมกนีเซียม

มุมเปิดประตู 185 องศา คือการเปิดประตูได้ในมุมกว้างถึง 185 องศา ซึ่งมอบความสะดวกสบายในการเข้าถึงพื้นที่ห้องและสิ่งของภายใน โดยที่ไม่ต้องมีการเปลี่ยนทิศทางของประตูหรือเปิดปิดอย่างมากมาย นอกจากนี้ยังช่วยให้การจัดเรียงห้องหรือพื้นที่อย่างมีประสิทธิภาพมากขึ้นด้วย โดยเฉพาะในพื้นที่ที่มีพื้นที่จำกัด ทั้งนี้ยังช่วยลดการชนกันระหว่างประตูและวัตถุต่าง ๆ ด้วยการเปิดประตูในมุมกว้างๆ ที่สามารถเข้าถึงได้ง่ายขึ้น และเพิ่มความสะดวกสบายในการใช้งานในชีวิตประจำวันด้วย ขนาดสูงสุดของแผ่นประตู H3000 x W900 มม.

RM-FUFIT-589 | Pin Hinge Zinc alloy 2,290.- /PC



MATERIALS

GLASS SERIES




19,900.-
/sqm



Slim Patterned Glass



Patterned Glass



Golden Silk




Titanium Silk



***ราคานี้รวมค่าติดตั้งและ VAT (กรุงเทพฯและปริมณฑล)



13,900.-
/sqm



Euro Bronze



Euro Black


Euro Grey



Mirror Glass



Super Clear






***ราคานี้รวมค่าติดตั้งและ VAT (กรุงเทพฯและปริมณฑล)


DOORS

GLASS SERIES




San Francisco






Frame Material: Aluminium Alloy
Frame Thickness: 22mm
Glass Feature: Tempered Glass
Glass Thickness: 5mm
Hinge: Specific Hinge
Hinge Material: Cold Rolled Steel
Open Angle: $96\pm 3^\circ$
Handle: 200mm






New York







Frame Material: Aluminium Alloy
Frame Thickness: 21mm
Glass Feature: Tempered Glass
Glass Thickness: 5mm
Hinge: Specific Hinge
Hinge Material: Cold Rolled Steel
Open Angle: $105\pm 3^\circ$
Handle: optional concealed handle



Chicago



Frame Material: Aluminium Alloy
Frame Thickness: 35mm
Glass Feature: Tempered Glass
Glass Thickness: 5mm
Hinge: Pin-Type Hinge
Hinge Material: Zinc Alloy
Open Angle: 270°
Handle: Milled



CUSTOM COLOR AVAILABLE
สามารถเทียบสีผิวกับหน้าบานได้



PARTITION

GLASS SERIES


Soft Closing Hanging Roller (Narrow Aluminium Frame)

Product features:

- Door up & down adjusting device: no need to unload door, but just use cross screwdriver to adjust door up & down.
- Smooth, steady and silent movement; Damping function exists while door opening and door closing.
- Adjustable stopper device: Adjustability for convenient operation Secure and steady function during door sliding.
- Application range: aluminium door, wood door



Three Patent Technologies
 Patent 1 :Door panel up and down adjustable device
 Patent 2 :Structure design of hanging body
 Patent 3 :Stopper device



Fixing the position of the stopper, calculate from the other end of the rail, move the stopper to the position (door width X-330) and tighten the screw




***ပုံစံ 4 တွာပေးမည်

Two Linkage Doors

Product Features:

- Collision damping function.
- Hook automatical hanging design, Auto-reset while unlock.
- Seismic mitigation design: Adopt imported customized modified engineering plastics, reduce door panel bounce efficiently.
- High precision grade roller, stable, smooth and quiet sliding.




***ပုံစံ 4 တွာပေးမည်




Three Linkage Doors

Product Features:

- Multi-panel linkage design, usually used for space partition.
- Hook automatic hanging design, Auto-reset while unlock.
- Seismic mitigation design: Adopt imported customized modified engineering plastics, reduce door panel bounce efficiently.
- High precision grade roller, stable, smooth and quiet sliding.



***สินค้า 4 ตารางเมตร



Aluminium Door Synthetic Linkage Hanging Sliding Roller System

Product Features:

- Multi-panel linkage design, usually used for space partition.
- Hook automatic hanging design, Auto-reset while unlock.
- Seismic mitigation design: Adopt imported customized modified engineering plastics, reduce door panel bounce efficiently.
- High precision grade roller, stable, smooth and quiet sliding.



Synthetic linkage sliding, upgraded opening experience



None down rail design, simple and neat looking



Single door loading capacity 80kg



High precision roller, easy moving and smooth


***สินค้า 4 ตารางเมตร

DECORATIVE TRIM

คิ้วอลูมิเนียม



ALU03
Size 3 mm.




ALU05
Size 5 mm.




ALU06
Size 6 mm.




ALU08
Size 8 mm.




ALU10
Size 10 mm.



ALU20
Size 20 mm.



ALU25
Size 25 mm.



ALU50
Size 50 mm.



ALU100
Size 100 mm.

T WALL


คิ้วตัวที




ALT06




ALT10



ALT15



ALT20




ALT25




ALT66

T WALL (Wing)


คิ้วตัวทีแบบมีปีก




ALF19




ALF20




ALF25




ALE19



ALE25



ALE35



ALE45

L WALL

คิ้วตัวแอล



ALL10




ALL15



ALL20



ALL25



ALL50



Reliable Quality



Environmental Protection Material



Convenient Installation



MAPLE




OAK



GREY

ระแนงร่องลึก 4 ลอน ขนาด: H16 x D22 x W290 cm



WPC wood composite railing

- Made from a mixture of wood powder and plastic powder molded into shape
- Easy and fast installation, lightweight
- Resistant to heat and moisture
- Good protection against termites and insects
- Easy to clean and maintain
- Available in a variety of colors without the need for painting
- Cheaper than real wood railing"

ระแนงไม้เทียม WPC

- ทำจากผงไม้ผสมผงพลาสติกนำมาขึ้นรูปทรง
- การติดตั้งง่าย รวดเร็ว น้ำหนักเบา
- ทนทานต่อความร้อน ความชื้น
- ป้องกันปลวกและแมลงได้ดี
- ดูแลทำความสะอาดง่าย
- มีหลากหลายสีให้เลือก ไม่ต้องทำสีเอง
- ราคาถูกกว่าระแนงไม้จริง

***ราคานี้รวมค่าติดตั้งและ VAT (กรุงเทพฯและปริมณฑล)

LAVAREDO

HOME & KITCHEN

SIAM ART MARBLE CO., LTD.
13/6 MOO 19 BANGPLEEYAI, BANGPLEE
SAMUTPRAKARN 10540 THAILAND

Facebook : Lavaredo Home & Kitchen
Line : @lavaredo-kitchen
Instagram : lavaredo_kitchen
Tiktok : lavaredo_kitchen

